KLINGEL ITALIANA s.r.l.






6 Prese e Spine

Prese e Spine CEE

Componenti e sistemi di connessione e automazione.

Automation and connection components & systems

Prese e spine CEE
Switches



Spine
Plugs

Prese
Sockets

Prese Multiple
Multiple Sockets

INDICE SPECIFICO DEL SETTORE PRESE E SPINE CEE

Pagina	
418	PRESE E SPINE
421	SERIE TAURUS
422	PRESE SCHUKO
423	PRESE E SPINE A BASSO VOLTAGGIO
424	ADATTATORI INDUSTRIALI
426	QUADRI ELETTRICI A MURO O MOBILI

PCE

Connection to the future

NEW PRODUCTS!



Industrial plugs and sockets

PCE

		Ampere	Poles	Cat.No. 110V~ 50/60Hz 4h	Cat.No. 230V~ 50/60Hz 3p=6h 4p+5p=9h	Cat.No. 400V~ 50/60Hz 3p=9h 4p+5p=6h	Cat.No. 500V~ 50/60Hz 7h	Cat.No. >50-500V~ 100-300Hz 10h
„Twist" Plug IP44		16	3	013-4	**013-6**	013-9	013-7	013-10
		16	4	014-4	014-9	**014-6**	014-7	014-10
		16	5	015-4	015-9	**015-6**	015-7	015-10
		32	3	023-4	**023-6**	023-9	023-7	023-10
		32	4	024-4	024-9	**024-6**	024-7	024-10
		32	5	025-4	025-9	**025-6**	025-7	025-10
„Twist" Plug IP67		16	3	0132-4	**0132-6**	0132-9	0132-7	0132-10
		16	4	0142-4	0142-9	**0142-6**	0142-7	0142-10
		16	5	0152-4	0152-9	**0152-6**	0152-7	0152-10
		32	3	0232-4	**0232-6**	0232-9	0232-7	0232-10
		32	4	0242-4	0242-9	**0242-6**	0242-7	0242-10
		32	5	0252-4	0252-9	**0252-6**	0252-7	0252-10
new! **„Power Twist" Plug** POWER TWIST - nickel-plated contacts - with pilot contact - with Twist cable-gland IP66/67		63	3	033-4	**033-6**	033-9	033-7	033-10
		63	4	034-4	034-9	**034-6**	034-7	034-10
		63	5	035-4	035-9	**035-6**	035-7	035-10
		125	3	043-4	**043-6**	043-9	043-7	043-10
		125	4	044-4	044-9	**044-6**	044-7	044-10
		125	5	045-4	045-9	**045-6**	045-7	045-10
Angled plug - cable entry - lateral IP44		16	5			8015-6	short cable entry	
		16	5			8015-6L	long cable entry	
Wall mounted plug - top entry - M25 IP44		16	3	513-4	**513-6**	513-9	513-7	513-10
		16	4	514-4	514-9	**514-6**	514-7	514-10
		16	5	515-4	515-9	**515-6**	515-7	515-10
		32	3	523-4	**523-6**	523-9	523-7	523-10
		32	4	524-4	524-9	**524-6**	524-7	524-10
		32	5	525-4	525-9	**525-6**	525-7	525-10
Wall mounted plug - for wiring through - top and bottom entry IP44		16	3	9513-4	**9513-6**	9513-9	9513-7	9513-10
		16	4	9514-4	9514-9	**9514-6**	9514-7	9514-10
		16	5	9515-4	9515-9	**9515-6**	9515-7	9515-10
		32	3	9523-4	**9523-6**	9523-9	9523-7	9523-10
		32	4	9524-4	9524-9	**9524-6**	9524-7	9524-10
		32	5	9525-4	9525-9	**9525-6**	9525-7	9525-10
new! **„Power Twist" Wall mounted plug** POWER TWIST - cable entry from top, bottom or rear - nickel-plated contacts with pilot contact - for waterproof cover and cable-gland see accessories (page 9) ! IP66/67				**Basic unit HxWxL = 170x118x175: 1xM40, 2xM32**				
		63	3	533-4	**533-6**	533-9	533-7	533-10
		63	4	534-4	534-9	**534-6**	534-7	534-10
		63	5	535-4	535-9	**535-6**	535-7	535-10
				Basic unit HxWxL = 260x160x209: 1xø50, 2xø40				
		125	3	543-4	**543-6**	543-9	543-7	543-10
		125	4	544-4	544-9	**544-6**	544-7	544-10
		125	5	545-4	545-9	**545-6**	545-7	545-10
Flanged plug - straight IP44		16	3	613-4	**613-6**	613-9	613-7	613-10
		16	4	614-4	614-9	**614-6**	614-7	614-10
		16	5	615-4	615-9	**615-6**	615-7	615-10
		32	3	623-4	**623-6**	623-9	623-7	623-10
		32	4	624-4	624-9	**624-6**	624-7	624-10
		32	5	625-4	625-9	**625-6**	625-7	625-10

Ampere	Poles	Cat.No. 110V~ 50/60Hz 4h	Cat.No. 230V~ 50/60Hz 3p=6h 4p+5p=9h	Cat.No. 400V~ 50/60Hz 3p=9h 4p+5p=6h	Cat.No. 500V~ 50/60Hz 7h	Cat.No. >50-500V~ 100-300Hz 10h
		Flange: 100x100, fixing center: 80x80				
63	3	633-4	**633-6**	633-9	633-7	633-10
63	4	634-4	634-9	**634-6**	634-7	634-10
63	5	635-4	635-9	**635-6**	635-7	635-10
		Flange: 120x120, fixing center: 100x100				
125	3	643-4	**643-6**	643-9	643-7	643-10
125	4	644-4	644-9	**644-6**	644-7	644-10
125	5	645-4	645-9	**645-6**	645-7	645-10

„Power Twist" Flanged plug

- straight
- nickel-plated contacts, with pilot contact
- for waterproof cover see accessories (page 9) !

IP66/67



16	3	713-4	**713-6**	713-9	713-7	713-10
16	4	714-4	714-9	**714-6**	714-7	714-10
16	5	715-4	715-9	**715-6**	715-7	715-10
32	3	723-4	**723-6**	723-9	723-7	723-10
32	4	724-4	724-9	**724-6**	724-7	724-10
32	5	725-4	725-9	**725-6**	725-7	725-10

Flanged plug

- sloping

IP44



		Flange: 112x110, fixing center: 88x80				
63	3	733-4	**733-6**	733-9	733-7	733-10
63	4	734-4	734-9	**734-6**	734-7	734-10
63	5	735-4	735-9	**735-6**	735-7	735-10
		Flange: 130x120, fixing center: 108x100				
125	3	743-4	**743-6**	743-9	743-7	743-10
125	4	744-4	744-9	**744-6**	744-7	744-10
125	5	745-4	745-9	**745-6**	745-7	745-10

„Power Twist" Flanged plug

- sloping
- nickel-plated contacts, with pilot contact
- for waterproof cover see accessories (page 9) !

IP66/67



16	3	213-4	**213-6**	213-9	213-7	213-10
16	4	214-4	214-9	**214-6**	214-7	214-10
16	5	215-4	215-9	**215-6**	215-7	215-10
32	3	223-4	**223-6**	223-9	223-7	223-10
32	4	224-4	224-9	**224-6**	224-7	224-10
32	5	225-4	225-9	**225-6**	225-7	225-10

„Twist" Connector

- hinged lid with grip

IP44



16	3	2132-4	**2132-6**	2132-9	2132-7	2132-10
16	4	2142-4	2142-9	**2142-6**	2142-7	2142-10
16	5	2152-4	2152-9	**2152-6**	2152-7	2152-10
32	3	2232-4	**2232-6**	2232-9	2232-7	2232-10
32	4	2242-4	2242-9	**2242-6**	2242-7	2242-10
32	5	2252-4	2252-9	**2252-6**	2252-7	2252-10

„Twist" Connector

IP67



63	3	233-4	**233-6**	233-9	233-7	233-10
63	4	234-4	234-9	**234-6**	234-7	234-10
63	5	235-4	235-9	**235-6**	235-7	235-10
125	3	243-4	**243-6**	243-9	243-7	243-10
125	4	244-4	244-9	**244-6**	244-7	244-10
125	5	245-4	245-9	**245-6**	245-7	245-10

„Power Twist" Connector

- to order with pilot contact insert a **„5"** in the order number, e.g. 233**5**-6
- with Twist cable-gland
- with lamellar contact

IP66/67



16	3	113-4	**113-6**	113-9	113-7	113-10
16	4	114-4	114-9	**114-6**	114-7	114-10
16	5	115-4	115-9	**115-6**	115-7	115-10
32	3	123-4	**123-6**	123-9	123-7	123-10
32	4	124-4	124-9	**124-6**	124-7	124-10
32	5	125-4	125-9	**125-6**	125-7	125-10

Wall socket

- top entry

IP44



16	3	1132-4	**1132-6**	1132-9	1132-7	1132-10
16	4	1142-4	1142-9	**1142-6**	1142-7	1142-10
16	5	1152-4	1152-9	**1152-6**	1152-7	1152-10
32	3	1232-4	**1232-6**	1232-9	1232-7	1232-10
32	4	1242-4	1242-9	**1242-6**	1242-7	1242-10
32	5	1252-4	1252-9	**1252-6**	1252-7	1252-10

Wall socket

- cable entry - standard M25
- to order with cable-gland please add a **„p"** e.g.: 1132-6**p**

IP67



PCE

Ampere	Poles	Cat.No. 110V~ 50/60Hz 4h	Cat.No. 230V~ 50/60Hz 3p=6h 4p+5p=9h	Cat.No. 400V~ 50/60Hz 3p=9h 4p+5p=6h	Cat.No. 500V~ 50/60Hz 7h	Cat.No. >50-500V~ 100-300Hz 10h
new! **„Power Twist" Wall socket** POWER TWIST - cable entry from top, bottom or rear - with lamellar contact - to order with pilot contact insert a **„5"** the order number, e.g. 133**5**-6 - for cable-gland see accessories (page 9) ! IP66/67						
		Basic unit HxWxL = 170x118x172: 1xM40, 2xM32				
63	3	133-4	**133-6**	133-9	133-7	133-10
63	4	134-4	134-9	**134-6**	134-7	134-10
63	5	135-4	135-9	**135-6**	135-7	135-10
		Basic unit HxWxL = 260x160x201: 1xø50, 2xø40				
125	3	143-4	**143-6**	143-9	143-7	143-10
		Basic unit HxWxL = 260x160x201: 1xM63, 2xø40				
125	4	144-4	144-9	**144-6**	144-7	144-10
125	5	145-4	145-9	**145-6**	145-7	145-10
COMBO-wall socket - wall socket with integrated Schuko-socket, connecting terminals up to 10mm², ready-wired. - for COMBO-wall socket 32A the Schuko-socket is protected by fuse. IP44						
16	3		**9213-6**			
16	4		9214-9	**9214-6**		
16	5			**9215-6**		
32	3		**9223-6**			
32	4		9224-9	**9224-6**		
32	5			**9225-6**		
„Twist" Flanged socket - straight - flange = 75x75mm - fixing center: 60x60 IP44						
16	3	313-4ft7	**313-6ft7**	313-9ft7	313-7ft7	313-10ft7
16	4	314-4ft7	314-9ft7	**314-6ft7**	314-7ft7	314-10ft7
16	5	315-4ft7	315-9ft7	**315-6ft7**	315-7ft7	315-10ft7
32	3	323-4ft7	**323-6ft7**	323-9ft7	323-7ft7	323-10ft7
32	4	324-4ft7	324-9ft7	**324-6ft7**	324-7ft7	324-10ft7
32	5	325-4ft7	325-9ft7	**325-6ft7**	325-7ft7	325-10ft7
„Twist" Flanged socket - straight - flange = 75x75mm - fixing center: 60x60 IP67						
16	3	3132-4	**3132-6**	3132-9	3132-7	3132-10
16	4	3142-4	3142-9	**3142-6**	3142-7	3142-10
16	5	3152-4	3152-9	**3152-6**	3152-7	3152-10
32	3	3232-4	**3232-6**	3232-9	3232-7	3232-10
32	4	3242-4	3242-9	**3242-6**	3242-7	3242-10
32	5	3252-4	3252-9	**3252-6**	3252-7	3252-10
new! **„Power Twist" Flanged socket** POWER TWIST - straight - with lamellar contact - to order with pilot contact insert a **„5"** in the order number, e.g. 335**5**-6 - additional flange-sizes on request IP66/67						
		Flange: 100x100, fixing center: 80x80				
63	3	333-4	**333-6**	333-9	333-7	333-10
63	4	334-4	334-9	**334-6**	334-7	334-10
63	5	335-4	335-9	**335-6**	335-7	335-10
		Flange: 120x120, fixing center: 100x100				
125	3	343-4	**343-6**	343-9	343-7	343-10
125	4	344-4	344-9	**344-6**	344-7	344-10
125	5	345-4	345-9	**345-6**	345-7	345-10
„Twist" Flanged socket - sloping - flange = 97x80mm - for flange = 100x92mm use **„f9"** instead of f8 e.g.: 415-6**f9** - flange size for 32A 5p = 97x87mm - fixing center: 60x73 IP44						
16	3	413-4f8	**413-6f8**	413-9f8	413-7f8	413-10f8
16	4	414-4f8	414-9f8	**414-6f8**	414-7f8	414-10f8
16	5	415-4f8	415-9f8	**415-6f8**	415-7f8	415-10f8
32	3	423-4f8	**423-6f8**	423-9f8	423-7f8	423-10f8
32	4	424-4f8	424-9f8	**424-6f8**	424-7f8	424-10f8
32	5	425-4f8	425-9f8	**425-6f8**	425-7f8	425-10f8
"Twist" Flanged socket - sloping - flange = 100x92mm - fixing center: 77x85 IP67						
16	3	4132-4	**4132-6**	4132-9	4132-7	4132-10
16	4	4142-4	4142-9	**4142-6**	4142-7	4142-10
16	5	4152-4	4152-9	**4152-6**	4152-7	4152-10
32	3	4232-4	**4232-6**	4232-9	4232-7	4232-10
32	4	4242-4	4242-9	**4242-6**	4242-7	4242-10
32	5	4252-4	4252-9	**4252-6**	4252-7	4252-10
new! **"Power Twist" Flanged socket** POWER TWIST - sloping - with lamellar contact - to order with pilot contact insert a **„5"** in the order number, e.g. 433**5**-6 - additional flange-sizes on request IP66/67						
		Flange: 112x100, fixing center: 88x80				
63	3	433-4	**433-6**	433-9	433-7	433-10
63	4	434-4	434-9	**434-6**	434-7	434-10
63	5	435-4	435-9	**435-6**	435-7	435-10
		Flange: 130x120, fixing center: 108x100				
125	3	443-4	**443-6**	443-9	443-7	443-10
125	4	444-4	444-9	**444-6**	444-7	444-10
125	5	445-4	445-9	**445-6**	445-7	445-10

Ampere	Poles	Cat.No. 230V~ 50/60Hz 3p=6h 4p+5p=9h	Cat.No. 400V~ 50/60Hz 3p=9h 4p+5p=6h	Cat.No. 250V~ 50/60Hz flange 50 x 50		Protection degree
16	4	7014-9	7014-6			IP44
16	4	70142-9	70142-6			IP67
16	5		7015-6			IP44
16	5		70152-6			IP67
32	4	7024-9	7024-6			IP44
32	4	70242-9	70242-6			IP67
32	5		7025-6			IP44
32	5		70252-6			IP67

„Twist" Phase inverter

- nickel-plated contacts

IP44, IP67



Ampere	Poles	Cat.No. 230V~ 50/60Hz 3p=6h 4p+5p=9h	Cat.No. 400V~ 50/60Hz 3p=9h 4p+5p=6h	Cat.No. 250V~ 50/60Hz flange 50 x 50		Protection degree
16	5		7715-6			
16	5		7715-6d	with cap		
32	5		7725-6			
32	5		7725-6d	with cap		

Phase inverter - wall mounted plug

- nickel-plated contacts
- top entry

IP44



Rubber plug

IP44

0511-s



SERIES TAURUS

Rubber connector

IP20

2510-s



Rubber plug

- two earthing systems

IP44

0521-s



Solid rubber plug

IP44

0512-s



Rubber connector

- Belgian/French version
- with child-protection (shutter)

IP20

2410-sc



Solid rubber connector

IP20

2520-s



Rubber plug

- one earthing system Belgian/French version

IP20

0531-s



Rubber connector

- with cap
- insert: polyamide

IP44

2511-s



Solid rubber connector

- with hinged lid
- insert: rubber

IP44

2522-s



3-way connector rubber

- with cap
- insert: polyamide

IP44

25311-s



3-way connector rubber

Belgian/French version

- with cap
- insert: polyamide

IP44

24311-sc



PCE

	Ampere	Poles		Cat.No. 250V~ 50/60Hz flange 50 x 50	Protection degree	
new! **Schuko Socket** **German standard**						
- screwed contact - available in yellow, grey, red, black and white IP54	16	3	rear connection	1050-0b	IP54	blue
	16	3	with child protection	1050-0bc	IP54	blue
	16	3	side connection	1050-0bs	IP54	blue
	16	3	with child protection	1050-0bsc	IP54	blue
Schuko Socket **German standard**						
- screwless contact - rear connection - available in blue, yellow, grey, red, black and white IP54	16	3	rear connection	109-0b	IP54	blue
	16	3	with child protection	109-0bc	IP54	blue
Schuko Socket **Belgian/French version**						
- screwless contact - rear connection - available in blue, yellow, grey, red, black and white IP54	16	3	rear connection	108-0b	IP54	blue
	16	3	with child protection	108-0bc	IP54	blue
new! **Schuko Socket** **Belgian/French version**						
- screwed contact - available in blue, yellow, grey, red, black and white IP54	16	3	rear connection	1040-0b	IP54	blue
	16	3	with child protection	1040-0bc	IP54	blue
	16	3	side connection	1040-0bs	IP54	blue
	16	3	with child protection	1040-0bsc	IP54	blue
Socket outlet/Danish standard - screwed contact - rear connection - available in blue and black IP44	13	3	Danish version	1030-0b	IP44	blue
Socket outlet/British standard - screwed contact - side connection - available in black IP44	13	3	British version (flange: 64x64)	1020-0s	IP44	black
	13	3	British version (flange: 50x50)	1020-5s	IP44	black

Extra-Low-Voltage plugs and sockets

„Twist" Plug

- nickel plated contacts

IP44



Ampere	Poles	Cat.No. 24V~ 50/60Hz without Minor key	Cat.No. 42V~ 50/60Hz 12h	Cat.No. 24/42V~ 100/200Hz 4h	Cat.No. 24/42V~ 300Hz 2h	Cat.No. 24/42V~ 400Hz 3h	Cat.No. 24/42V~ 401-500Hz 11h	Cat.No. 24/42V= DC 10h
16	2	062v	082-12v	082-4v	082-2v	082-3v	082-11v	082-10v
16	3	063v	083-12v	083-4v	083-2v	083-3v	083-11v	083-10v
32	2	072v	092-12v	092-4v	092-2v	092-3v	092-11v	092-10v
32	3	073v	093-12v	093-4v	093-2v	093-3v	093-11v	093-10v

„Twist" Plug

- nickel plated contacts

IP67



Ampere	Poles	Cat.No. 24V~ 50/60Hz without Minor key	Cat.No. 42V~ 50/60Hz 12h	Cat.No. 24/42V~ 100/200Hz 4h	Cat.No. 24/42V~ 300Hz 2h	Cat.No. 24/42V~ 400Hz 3h	Cat.No. 24/42V~ 401-500Hz 11h	Cat.No. 24/42V= DC 10h
16	2	0622v	0822-12v	0822-4v	0822-2v	0822-3v	0822-11v	0822-10v
16	3	0632v	0832-12v	0832-4v	0832-2v	0832-3v	0832-11v	0832-10v
32	2	0722v	0922-12v	0922-4v	0922-2v	0922-3v	0922-11v	0922-10v
32	3	0732v	0932-12v	0932-4v	0932-2v	0932-3v	0932-11v	0932-10v

„Twist" Connector

- nickel plated contacts

IP44



Ampere	Poles	Cat.No. 24V~ 50/60Hz without Minor key	Cat.No. 42V~ 50/60Hz 12h	Cat.No. 24/42V~ 100/200Hz 4h	Cat.No. 24/42V~ 300Hz 2h	Cat.No. 24/42V~ 400Hz 3h	Cat.No. 24/42V~ 401-500Hz 11h	Cat.No. 24/42V= DC 10h
16	2	262v	282-12v	282-4v	282-2v	282-3v	282-11v	282-10v
16	3	263v	283-12v	283-4v	283-2v	283-3v	283-11v	283-10v
32	2	272v	292-12v	292-4v	292-2v	292-3v	292-11v	292-10v
32	3	273v	293-12v	293-4v	293-2v	293-3v	293-11v	293-10v

„Twist" Connector

- nickel plated contacts

IP67



Ampere	Poles	Cat.No. 24V~ 50/60Hz without Minor key	Cat.No. 42V~ 50/60Hz 12h	Cat.No. 24/42V~ 100/200Hz 4h	Cat.No. 24/42V~ 300Hz 2h	Cat.No. 24/42V~ 400Hz 3h	Cat.No. 24/42V~ 401-500Hz 11h	Cat.No. 24/42V= DC 10h
16	2	2622v	2822-12v	2822-4v	2822-2v	2822-3v	2822-11v	2822-10v
16	3	2632v	2832-12v	2832-4v	2832-2v	2832-3v	2832-11v	2832-10v
32	2	2722v	2922-12v	2922-4v	2922-2v	2922-3v	2922-11v	2922-10v
32	3	2732v	2932-12v	2932-4v	2932-2v	2932-3v	2932-11v	2932-10v

Flanged socket

- straight

IP44



Ampere	Poles	Cat.No. 24V~ 50/60Hz without Minor key	Cat.No. 42V~ 50/60Hz 12h	Cat.No. 24/42V~ 100/200Hz 4h	Cat.No. 24/42V~ 300Hz 2h	Cat.No. 24/42V~ 400Hz 3h	Cat.No. 24/42V~ 401-500Hz 11h	Cat.No. 24/42V= DC 10h
16	2	**362**	**382-12**	382-4	382-2	382-3	382-11	382-10
16	3	**363**	**383-12**	383-4	383-2	383-3	383-11	383-10
32	2	**372**	**392-12**	392-4	392-2	392-3	392-11	392-10
32	3	**373**	**393-12**	393-4	393-2	393-3	393-11	393-10

„Twist" Flanged socket

- straight
- flange 60x54
- fixing center 44x44
- nickel plated contacts

IP67



Ampere	Poles	Cat.No. 24V~ 50/60Hz without Minor key	Cat.No. 42V~ 50/60Hz 12h	Cat.No. 24/42V~ 100/200Hz 4h	Cat.No. 24/42V~ 300Hz 2h	Cat.No. 24/42V~ 400Hz 3h	Cat.No. 24/42V~ 401-500Hz 11h	Cat.No. 24/42V= DC 10h
16	2	3622ft9v	3822-12ft9v	3822-4ft9v	3822-2ft9v	3822-3ft9v	3822-11ft9v	3822-10ft9v
16	3	3632ft9v	3832-12ft9v	3832-4ft9v	3832-2ft9v	3832-3ft9v	3832-11ft9v	3832-10ft9v
32	2	3722ft9v	3922-12ft9v	3922-4ft9v	3922-2ft9v	3922-3ft9v	3922-11ft9v	3922-10ft9v
32	3	3732ft9v	3932-12ft9v	3932-4ft9v	3932-2ft9v	3932-3ft9v	3932-11ft9v	3932-10ft9v

Wall socket

- top entry

IP44



Ampere	Poles	Cat.No. 24V~ 50/60Hz without Minor key	Cat.No. 42V~ 50/60Hz 12h	Cat.No. 24/42V~ 100/200Hz 4h	Cat.No. 24/42V~ 300Hz 2h	Cat.No. 24/42V~ 400Hz 3h	Cat.No. 24/42V~ 401-500Hz 11h	Cat.No. 24/42V= DC 10h
16	2	**162**	**182-12**	182-4	182-2	182-3	182-11	182-10
16	3	**163**	**183-12**	183-4	183-2	183-3	183-11	183-10
32	2	**172**	**192-12**	192-4	192-2	192-3	192-11	192-10
32	3	**173**	**193-12**	193-4	193-2	193-3	193-11	193-10

new!

Industrial Adaptors

		Ampere	Poles	Cat.No.	protection degree
Multiple socket outlet **Inlet:** 1 CEE-plug 16A 3p 230V **Outlet:** 3 CEE-sockets 16A 3p 230V - available also in IP67 - possibility to mount Schuko, Belgian/French, Danish, British socket - nickel plated contacts - available also in 110V		16	3	9432000*	IP44
Multiple socket outlet with cable **Inlet:** cable gland TWIST with terminal block **Outlet:** 3 CEE-sockets 16A 3p 230V - available also in IP44 - possibility to mount Schuko, Belgian/French, Danish, British socket - nickel plated contacts - available also in 110V		16	3	9432007	IP67
One-way adaptor **CEE 16A 3p plug / socket-outlet for domestic use** **Inlet:** 1 CEE-plug 16A 3p 230V **Outlet:** 1 Schuko socket 16A 250V - available also with Belgian/French, Danish, British socket - nickel plated contacts		16	3	9433100*	IP44
One-way adaptor **plug for domestic use / CEE socket-outlet** **Inlet:** 1 plug 16A 2p+E 250V (two earthing system) **Outlet:** 1 CEE-socket 16A 3p 230V - nickel plated contacts		16	3	9434100*	IP20
One-way adaptor **plug for domestic use / CEE socket-outlet** **Inlet:** 1 Italian plug P17 **Outlet:** 1 CEE-socket 16A 3p 230V - nickel plated contacts		16	3	9434200*	IP20
One-way adaptor **CEE 16A 3p plug / socket outlet for domestic use** **Inlet:** 1 CEE-plug 16A 3p 230V **Outlet:** 2 Italian socket outlets P17/11 - CEE plug with nickel plated contacts	 	16	3	9433180*	IP20
One-way adaptor **CEE 16A 3p plug / socket outlet for domestic use** **Inlet:** 1 CEE plug 16A 3p 230V **Outlet:** 1 Italian socket outlet P30/17 - CEE plug with nickel plated contacts	 	16	3	9433160*	IP20

PCE Switched interlocked sockets

		Ampere	Poles	Cat.No. 110V~ 50/60Hz 4h	Cat.No. 230V~ 50/60Hz 3p=6h 4p+5p=9h	Cat.No. 400V~ 50/60Hz 3p=9h 4p+5p=6h	Cat.No. 500V~ 50/60Hz 7h
Compact switched interlocked socket - panel mounting - mechanical interlock IP44		16	3	6013-4	**6013-6**	6013-9	6013-7
		16	4	6014-4	6014-9	**6014-6**	6014-7
		16	5	6015-4	6015-9	**6015-6**	6015-7
		32	3	6023-4	**6023-6**	6023-9	6023-7
		32	4	6024-4	6024-9	**6024-6**	6024-7
		32	5	6025-4	6025-9	**6025-6**	6025-7
Compact switched interlocked socket - panel mounting - mechanical interlock IP67		16	3	60132-4	**60132-6**	60132-9	60132-7
		16	4	60142-4	60142-9	**60142-6**	60142-7
		16	5	60152-4	60152-9	**60152-6**	60152-7
		32	3	60232-4	**60232-6**	60232-9	60232-7
		32	4	60242-4	60242-9	**60242-6**	60242-7
		32	5	60252-4	60252-9	**60252-6**	60252-7
Compact switched interlocked socket - wall mounting - mechanical interlock IP44		16	3	6113-4	**6113-6**	6113-9	6113-7
		16	4	6114-4	6114-9	**6114-6**	6114-7
		16	5	6115-4	6115-9	**6115-6**	6115-7
		32	3	6123-4	**6123-6**	6123-9	6123-7
		32	4	6124-4	6124-9	**6124-6**	6124-7
		32	5	6125-4	6125-9	**6125-6**	6125-7
Compact switched interlocked socket - wall mounting - mechanical interlock IP67		16	3	61132-4	**61132-6**	61132-9	61132-7
		16	4	61142-4	61142-9	**61142-6**	61142-7
		16	5	61152-4	61152-9	**61152-6**	61152-7
		32	3	61232-4	**61232-6**	61232-9	61232-7
		32	4	61242-4	61242-9	**61242-6**	61242-7
		32	5	61252-4	61252-9	**61252-6**	61252-7
Switched interlocked socket - wall mounting - mechanical interlock - up to 3 x M25 cable entries IP44		16	3	7513-4	**7513-6**	7513-9	7513-7
		16	4	7514-4	7514-9	**7514-6**	7514-7
		16	5	7515-4	7515-9	**7515-6**	7515-7
		32	3	7523-4	**7523-6**	7523-9	7523-7
		32	4	7524-4	7524-9	**7524-6**	7524-7
		32	5	7525-4	7525-9	**7525-6**	7525-7
Switched interlocked socket - wall mounting - mechanical interlock - up to 3 x M25 cable entries IP67		16	3	75132-4	**75132-6**	75132-9	75132-7
		16	4	75142-4	75142-9	**75142-6**	75142-7
		16	5	75152-4	75152-9	**75152-6**	75152-7
		32	3	75232-4	**75232-6**	75232-9	75232-7
		32	4	75242-4	75242-9	**75242-6**	75242-7
		32	5	75252-4	75252-9	**75252-6**	75252-7
Switched interlocked socket POWER TWIST - mechanical interlock - cable entry from top, bottom or rear - with lamellar contact - for version with pilot contact insert a "5" in the order number, e.g. 753525-6 IP66/67				Basic unit HxWxL = 280x160x201: 1xM40, 2xø40			
		63	3	75332-4	**75332-6**	75332-9	75332-7
		63	4	75342-4	75342-9	**75342-6**	75342-7
		63	5	75352-4	75352-9	**75352-6**	75352-7

Plastic distribution boxes

- wall mounting
- mobile

PC Electric is specialized in assembling socket-outlet combinations for use in industrial plants, exhibition centers, outdoor events, construction sites, etc. Boxes are made of solid-rubber or high-quality thermoplastic material. Apart from the wide range of standard boxes, devlopment of customer-specified solutions is our strength.

- compact design
- material: shock-resistant polycarbonate
- ready wired for connection
- IP44 splashproof
- for mounting in workshop halls ...

Series LECH

- compact design
- high-quality thermoplastic material
- **dimensions: WxHxD = 130x230x152mm**
- 6 modules under window
- ready wired for connection on terminals
- IP44 splashproof, IP67 on request
- for mounting in factories



Series GRAZ

- compact design
- high-quality thermoplastic material
- **dimensions: WxHxD = 222x369x140mm**
- 9 modules under window
- ready wired for connection on terminals
- IP44 splashproof, IP67 on request
- for mounting in factories



Series SÖLL

- compact design
- high-quality thermoplastic material
- **dimensions: WxHxD = 297x504x186mm**
- 2x13 modules under window
- ready wired for connection on terminals
- IP44 splashproof, IP67 on request
- for mounting in factories



Series ANIF

- compact design
- high-quality thermoplastic material
- **dimensions: WxHxD = 222x320x140mm**
- 10 modules under window
- ready wired for connection on terminals
- IP44 splashproof, IP67 on request
- for mounting in factories



Series IMST

- handy, robust distribution box made of shock-resistant polyamide
- **dimensions: WxHxD = 197x200x197mm**
- maximum rated current of 32A 5p 400V
- up to 7 sockets
- ready wired for connection
- IP44 splashproof
- for assembly plants, electricians, ...
- stackable, with take-up device for the connecting cable



with carrying-handle made of high-grade steel

Series IMST

- robust distribution box made of shock-resistant polyamide
- **dimensions: WxHxD = 197x120x197mm**
- maximum rated current of 32A 5p 400V
- up to 7 sockets
- window for up to 8 modules
- ready wired for connection
- IP44 splashproof
- for assembly plants, electricians, ...



with 4 ring-bolts

Solid-rubber distribution boxes - mobile

- portable, handy solid-rubber distribution box
- ready wired for connection
- IP44 splashproof
- entry: high-flexible rubber cable



Series SPITZ

- **dimensions: WxHxD = 320x320x320mm**
- lifting hinged cover with 2 quick acting closures
- fuses, control devices e.g. MCB, RCD, current indicator, ... under cover
- closed casing bottom with high ground clearance, prevention of water intake from bottom
- sockets protected by overhanging box cover



Series TRAUN

- **dimensions: WxHxD = 235x180x72mm**
- available with and without fuse

Series STEYR

- **dimensions: WxHxD = 115x430x72mm**
- available with and without fuse



Solid-rubber distribution boxes - wall mounting

Series SALZBURG

- solid-rubber enclosure
- **dimensions = 298x370 mm**
- bottom of box and cover connected with joint
- window for up to 13 modules
- ready wired for connection
- IP44 splashproof (IP67 on request)



Series BRUCK

- solid-rubber enclosure
- **dimensions = 370x370 mm**
- bottom of box and cover connected with joint
- window for up to 17 modules (18 modules available on request)
- ready wired for connection
- IP44 splashproof (IP67 on request)



INDICE PER ARTICOLO

	pag.
013-4	418
014-4	418
015-4	418
023-4	418
024-4	418
025-4	418
0132-4	418
0142-4	418
0152-4	418
0232-4	418
0242-4	418
0252-4	418
033-4	418
034-4	418
035-4	418
043-4	418
044-4	418
045-4	418
513-4	418
514-4	418
515-4	418
523-4	418
524-4	418
525-4	418
9513-4	418
9514-4	418
9515-4	418
9523-4	418
9524-4	418
9525-4	418
533-4	418
534-4	418
535-4	418
543-4	418
544-4	418
545-4	418
613-4	418
614-4	418
615-4	418
623-4	418
624-4	418
625-4	418
013-6	418
014-9	418
015-9	418
023-6	418
024-9	418
025-9	418
0132-6	418
0142-9	418
0152-9	418
0232-6	418
0242-9	418
0252-9	418
033-6	418
034-9	418
035-9	418
043-6	418
044-9	418
045-9	418
513-6	418
514-9	418
515-9	418
523-6	418
524-9	418
525-9	418
9513-6	418
9514-9	418
9515-9	418
9523-6	418
9524-9	418
9525-9	418
533-6	418
534-9	418
535-9	418
543-6	418
544-9	418
545-9	418
613-6	418
614-9	418
615-9	418
623-6	418
624-9	418
625-9	418
013-9	418
014-6	418
015-6	418
023-9	418
024-6	418
025-6	418
0132-9	418
0142-6	418
0152-6	418
0232-9	418
0242-6	418
0252-6	418
033-9	418
034-6	418
035-6	418
043-9	418
044-6	418
045-6	418
8015-6	418
8015-6L	418
513-9	418
514-6	418
515-6	418
523-9	418
524-6	418
525-6	418
9513-9	418
9514-6	418
9515-6	418
9523-9	418
9524-6	418
9525-6	418
533-9	418
534-6	418
535-6	418
543-9	418
544-6	418
545-6	418
613-9	418
614-6	418
615-6	418
623-9	418
624-6	418
625-6	418
013-7	418
014-7	418
015-7	418
023-7	418
024-7	418
025-7	418
0132-7	418
0142-7	418
0152-7	418
0232-7	418
0242-7	418
0252-7	418
033-7	418
034-7	418
035-7	418
043-7	418
044-7	418
045-7	418
513-7	418
514-7	418
515-7	418
523-7	418
524-7	418
525-7	418
9513-7	418
9514-7	418
9515-7	418
9523-7	418
9524-7	418
9525-7	418
533-7	418
534-7	418
535-7	418
543-7	418
544-7	418
545-7	418
613-7	418
614-7	418
615-7	418
623-7	418
624-7	418
625-7	418
013-10	418
014-10	418
015-10	418
023-10	418
024-10	418
025-10	418
0132-10	418
0142-10	418
0152-10	418
0232-10	418
0242-10	418
0252-10	418
033-10	418
034-10	418
035-10	418
043-10	418
044-10	418
045-10	418
513-10	418
514-10	418
515-10	418
523-10	418
524-10	418
525-10	418
9513-10	418
9514-10	418
9515-10	418
9523-10	418
9524-10	418
9525-10	418
533-10	418
534-10	418
535-10	418
543-10	418
544-10	418
545-10	418
613-10	418
614-10	418
615-10	418
623-10	418
624-10	418
625-10	418
633-4	419
634-4	419
635-4	419
643-4	419
644-4	419
645-4	419
713-4	419
714-4	419
715-4	419
723-4	419
724-4	419
725-4	419
733-4	419
734-4	419
735-4	419
743-4	419
744-4	419
745-4	419
213-4	419
214-4	419
215-4	419
223-4	419
224-4	419
225-4	419
2132-4	419
2142-4	419
2152-4	419
2232-4	419
2242-4	419
2252-4	419
233-4	419
234-4	419
235-4	419
243-4	419
244-4	419
245-4	419
113-4	419
114-4	419
115-4	419
123-4	419
124-4	419
125-4	419
1132-4	419
1142-4	419
1152-4	419
1232-4	419
1242-4	419
1252-4	419
633-6	419
634-9	419
635-9	419
643-6	419
644-9	419
645-9	419
713-6	419
714-9	419
715-9	419
723-6	419
724-9	419
725-9	419
733-6	419
734-9	419
735-9	419
743-6	419
744-9	419
745-9	419
213-6	419
214-9	419
215-9	419
223-6	419
224-9	419
225-9	419
2132-6	419
2142-9	419
2152-9	419
2232-6	419
2242-9	419
2252-9	419
233-6	419
234-9	419
235-9	419
243-6	419
244-9	419
245-9	419
113-6	419
114-9	419
115-9	419
123-6	419
124-9	419
125-9	419
1132-6	419
1142-9	419
1152-9	419
1232-6	419
1242-9	419
1252-9	419
633-9	419
634-6	419
635-6	419
643-9	419
644-6	419
645-6	419
713-9	419
714-6	419
715-6	419
723-9	419
724-6	419
725-6	419
733-9	419
734-6	419
735-6	419
743-9	419
744-6	419
745-6	419
213-9	419
214-6	419
215-6	419
223-9	419
224-6	419
225-6	419
2132-9	419
2142-6	419
2152-6	419
2232-9	419
2242-6	419
2252-6	419
233-9	419
234-6	419
235-6	419
243-9	419
244-6	419
245-6	419
113-9	419
114-6	419
115-6	419
123-9	419
124-6	419
125-6	419
1132-9	419
1142-6	419
1152-6	419
1232-9	419
1242-6	419
1252-6	419
633-7	419
634-7	419
635-7	419
643-7	419
644-7	419
645-7	419
713-7	419
714-7	419
715-7	419
723-7	419
724-7	419
725-7	419
733-7	419
734-7	419
735-7	419
743-7	419
744-7	419
745-7	419
213-7	419

INDICE PER ARTICOLO

	pag.
214-7	419
215-7	419
223-7	419
224-7	419
225-7	419
2132-7	419
2142-7	419
2152-7	419
2232-7	419
2242-7	419
2252-7	419
233-7	419
234-7	419
235-7	419
243-7	419
244-7	419
245-7	419
113-7	419
114-7	419
115-7	419
123-7	419
124-7	419
125-7	419
1132-7	419
1142-7	419
1152-7	419
1232-7	419
1242-7	419
1252-7	419
633-10	419
634-10	419
635-10	419
643-10	419
644-10	419
645-10	419
713-10	419
714-10	419
715-10	419
723-10	419
724-10	419
725-10	419
733-10	419
734-10	419
735-10	419
743-10	419
744-10	419
745-10	419
213-10	419
214-10	419
215-10	419
223-10	419
224-10	419
225-10	419
2132-10	419
2142-10	419
2152-10	419
2232-10	419
2242-10	419
2252-10	419
233-10	419
234-10	419
235-10	419
243-10	419
244-10	419
245-10	419
113-10	419
114-10	419
115-10	419
123-10	419
124-10	419
125-10	419
1132-10	419
1142-10	419
1152-10	419
1232-10	419
1242-10	419
1252-10	419
133-4	420
134-4	420
135-4	420
143-4	420
144-4	420
145-4	420
313-4ft7	420
314-4ft7	420
315-4ft7	420
323-4ft7	420
324-4ft7	420
325-4ft7	420
3132-4	420
3142-4	420
3152-4	420
3232-4	420
3242-4	420
3252-4	420
333-4	420
334-4	420
335-4	420
343-4	420
344-4	420
345-4	420
413-4f8	420
414-4f8	420
415-4f8	420
423-4f8	420
424-4f8	420
425-4f8	420
4132-4	420
4142-4	420
4152-4	420
4232-4	420
4242-4	420
4252-4	420
433-4	420
434-4	420
435-4	420
443-4	420
444-4	420
445-4	420
133-6	420
134-9	420
135-9	420
143-6	420
144-9	420
145-9	420
9213-6	420
9214-9	420
9223-6	420
9224-9	420
313-6ft7	420
314-9ft7	420
315-9ft7	420
323-6ft7	420
324-9ft7	420
325-9ft7	420
3132-6	420
3142-9	420
3152-9	420
3232-6	420
3242-9	420
3252-9	420
333-6	420
334-9	420
335-9	420
343-6	420
344-9	420
345-9	420
413-6f8	420
414-9f8	420
415-9f8	420
423-6f8	420
424-9f8	420
425-9f8	420
4132-6	420
4142-9	420
4152-9	420
4232-6	420
4242-9	420
4252-9	420
433-6	420
434-9	420
435-9	420
443-6	420
444-9	420
445-9	420
133-9	420
134-6	420
135-6	420
143-9	420
144-6	420
145-6	420
9214-6	420
9215-6	420
9224-6	420
9225-6	420
313-9ft7	420
314-6ft7	420
315-6ft7	420
323-9ft7	420
324-6ft7	420
325-6ft7	420
3132-9	420
3142-6	420
3152-6	420
3232-9	420
3242-6	420
3252-6	420
333-9	420
334-6	420
335-6	420
343-9	420
344-6	420
345-6	420
413-9f8	420
414-6f8	420
415-6f8	420
423-9f8	420
424-6f8	420
425-6f8	420
4132-9	420
4142-6	420
4152-6	420
4232-9	420
4242-6	420
4252-6	420
433-9	420
434-6	420
435-6	420
443-9	420
444-6	420
445-6	420
133-7	420
134-7	420
135-7	420
143-7	420
144-7	420
145-7	420
313-7ft7	420
314-7ft7	420
315-7ft7	420
323-7ft7	420
324-7ft7	420
325-7ft7	420
3132-7	420
3142-7	420
3152-7	420
3232-7	420
3242-7	420
3252-7	420
333-7	420
334-7	420
335-7	420
343-7	420
344-7	420
345-7	420
413-7f8	420
414-7f8	420
415-7f8	420
423-7f8	420
424-7f8	420
425-7f8	420
4132-7	420
4142-7	420
4152-7	420
4232-7	420
4242-7	420
4252-7	420
433-7	420
434-7	420
435-7	420
443-7	420
444-7	420
445-7	420
133-10	420
134-10	420
135-10	420
143-10	420
144-10	420
145-10	420
313-10ft7	420
314-10ft7	420
315-10ft7	420
323-10ft7	420
324-10ft7	420
325-10ft7	420
3132-10	420
3142-10	420
3152-10	420
3232-10	420
3242-10	420
3252-10	420
333-10	420
334-10	420
335-10	420
343-10	420
344-10	420
345-10	420
413-10f8	420
414-10f8	420
415-10f8	420
423-10f8	420
424-10f8	420
425-10f8	420
4132-10	420
4142-10	420
4152-10	420
4232-10	420
4242-10	420
4252-10	420
433-10	420
434-10	420
435-10	420
443-10	420
444-10	420
445-10	420
7014-9	421
70142-9	421
7024-9	421
70242-9	421
7014-6	421
70142-6	421
7015-6	421
70152-6	421
7024-6	421
70242-6	421
7025-6	421
70252-6	421
7715-6	421
7715-6d	421
7725-6	421
7725-6d	421
0511-s	421
2510-s	421
0512-s	421
2520-s	421
2511-s	421
25311-s	421
0521-s	421
2410-sc	421
0531-s	421
2522-s	421
24311-sc	421
1050-0b	422
1050-0bc	422
1050-0bs	422
1050-0bsc	422
109-0b	422
109-0bc	422
108-0b	422
108-0bc	422
1040-0b	422
1040-0bc	422
1040-0bs	422
1040-0bsc	422
1030-0b	422
1020-0s	422
1020-5s	422
062v	423
063v	423
072v	423
073v	423
0622v	423
0632v	423
0722v	423
0732v	423
262v	423
263v	423
272v	423
273v	423
2622v	423
2632v	423
2722v	423
2732v	423
362	423
363	423
372	423
373	423
3622ft9v	423
3632ft9v	423
3722ft9v	423
3732ftv	423
162	423
163	423
172	423
173	423
082-12v	423
083-12v	423
092-12v	423
093-12v	423
0822-12v	423
0832-12v	423
0922-12v	423
0932-12v	423
282-12v	423
283-12v	423

INDICE PER ARTICOLO

	pag.
292-12v	423
293-12v	423
2822-12v	423
2832-12v	423
2922-12v	423
2932-12v	423
382-12	423
383-12	423
392-12	423
393-12	423
3822-12ft9v	423
3832-12ft9v	423
3922-12ft9v	423
3932-12ft9v	423
182-12	423
183-12	423
192-12	423
193-12	423
082-4v	423
083-4v	423
092-4v	423
093-4v	423
0822-4v	423
0832-4v	423
0922-4v	423
0932-4v	423
282-4v	423
283-4v	423
292-4v	423
293-4v	423
2822-4v	423
2832-4v	423
2922-4v	423
2932-4v	423
382-4	423
383-4	423
392-4	423
393-4	423
3822-4ft9v	423
3832-4ft9v	423
3922-4ft9v	423
3932-4ft9v	423
182-4	423
183-4	423
192-4	423
193-4	423
082-2v	423
083-2v	423
092-2v	423
093-2v	423
0822-2v	423
0832-2v	423
0922-2v	423
0932-2v	423
282-2v	423
283-2v	423
292-2v	423
293-2v	423
2822-2v	423
2832-2v	423
2922-2v	423
2932-2v	423
382-2	423
383-2	423
392-2	423
393-2	423
3822-2ft9v	423
3832-2ft9v	423
3922-2ft9v	423
3932-2ft9v	423
182-2	423
183-2	423
192-2	423
193-2	423
082-3v	423
083-3v	423
092-3v	423
093-3v	423
0822-3v	423
0832-3v	423
0922-3v	423
0932-3v	423
282-3v	423
283-3v	423
292-3v	423
293-3v	423
2822-3v	423
2832-3v	423
2922-3v	423
2932-3v	423
382-3	423
383-3	423
392-3	423
393-3	423
3822-3ft9v	423
3832-3ft9v	423
3922-3ft9v	423
3932-3ft9v	423
182-3	423
183-3	423
192-3	423
193-3	423
082-11v	423
083-11v	423
093-11v	423
093-11v	423
0822-11v	423
0832-11v	423
0922-11v	423
0932-11v	423
282-11v	423
283-11v	423
292-11v	423
293-11v	423
2822-11v	423
2832-11v	423
2922-11v	423
2932-11v	423
382-11	423
383-11	423
392-11	423
393-11	423
3822-11ft9v	423
3832-11ft9v	423
3922-11ft9v	423
3932-11ft9v	423
182-11	423
183-11	423
192-11	423
193-11	423
082-10v	423
083-10v	423
092-10v	423
093-10v	423
0822-10v	423
0832-10v	423
0922-10v	423
0932-10v	423
282-10v	423
283-10v	423
292-10v	423
293-10v	423
2822-10v	423
2832-10v	423
2922-10v	423
2932-10v	423
382-10	423
383-10	423
392-10	423
393-10	423
3822-10ft9v	423
3832-10ft9v	423
3922-10ft9v	423
3932-10ft9v	423
182-10	423
183-10	423
192-10	423
193-10	423
9432000	424
9432007	424
9433100	424
9434100	424
9434200	424
9433180	424
9433160	424
Lech serie	426
Soll serie	426
IMST serie	426
Graz serie	426
Anif serie	426
Spitz serie	426
Traun serie	426
Steyr serie	426
Salzburg serie	426
Bruck serie	426
6013-4	425
6014-4	425
6015-4	425
6023-4	425
6024-4	425
6025-4	425
6013-6	425
6014-9	425
6015-9	425
6023-6	425
6024-9	425
6025-9	425
6013-9	425
6014-6	425
6015-6	425
6023-9	425
6024-6	425
6025-6	425
6013-7	425
6014-7	425
6015-7	425
6023-7	425
6024-7	425
6025-7	425
60132-4	425
60142-4	425
60152-4	425
60232-4	425
60242-4	425
60252-4	425
60132-6	425
60142-9	425
60152-9	425
60232-6	425
60242-9	425
60252-9	425
60132-9	425
60142-6	425
60152-6	425
60232-6	425
60242-6	425
60252-6	425
60132-7	425
60142-7	425
60152-7	425
60232-7	425
60242-7	425
60252-7	425
6113-4	425
6114-4	425
6115-4	425
6123-4	425
6124-4	425
6125-4	425
6113-6	425
6114-9	425
6115-9	425
6123-6	425
6124-9	425
6125-9	425
6113-9	425
6114-6	425
6115-6	425
6123-9	425
6124-6	425
6125-6	425
6113-7	425
6114-7	425
6115-7	425
6123-7	425
6124-7	425
6125-7	425
61132-4	425
61142-4	425
61152-4	425
61232-4	425
61242-4	425
61252-4	425
61132-6	425
61142-9	425
61152-9	425
61232-6	425
61242-9	425
61252-9	425
61132-9	425
61142-6	425
61152-6	425
61232-9	425
61242-6	425
61242-6	425
61132-7	425
61142-7	425
61152-7	425
61232-7	425
61242-7	425
61252-7	425
7513-4	425
7514-4	425
7515-4	425
7523-4	425
7524-4	425
7525-4	425
7513-6	425
7514-9	425
7515-9	425
7523-6	425
7524-9	425
7525-9	425
7513-9	425
7514-6	425
7515-6	425
7523-9	425
7524-6	425
7525-6	425
7513-7	425
7514-7	425
7515-7	425
7523-7	425
7524-7	425
7525-7	425
75132-4	425
75142-4	425
75152-4	425
75232-4	425
75242-4	425
75252-4	425
75132-6	425
75142-9	425
75152-9	425
75232-6	425
75242-9	425
75252-9	425
75132-9	425
75142-6	425
75152-6	425
75232-9	425
75242-6	425
75252-6	425
75132-7	425
75142-7	425
75152-7	425
75232-7	425
75242-7	425
75252-7	425
75332-4	425
75342-4	425
75352-4	425
75332-6	425
75342-9	425
75352-9	425
75332-9	425
75342-6	425
75352-6	425
75332-7	425
75342-7	425
75352-7	425